Application/Control Number: 10/628,942 Page 2

Art Unit: 2629

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or
additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR
 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the
payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Larry Liberchuk (40352) on 6/18/08.

The application has been amended as follows:

As to claim 20, line 9, after "wherein" insert -the selection means comprises electrodes, and --.

 Any inquiry concerning this communication or earlier communications from the examiner should be directed to Regina Liang whose telephone number is (571) 272-7693. The examiner can normally be reached on Monday-Friday from 8AM to 5:00PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Richard Hjerpe, can be reached on (571) 272-7691. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (foll-free).

/Regina Liang/ Primary Examiner, Art Unit 2629